

Keyence CV-200M
Digital 2-Million-Pixel Black-and-White Camera



\$2495.00

In Stock

Qty Available: 2

New From Surplus Stock

Open Web Page

<https://www.artisanng.com/98333-1>

All trademarks, brandnames, and brands appearing herein are the property of their respective owners.



Your **definitive** source
for quality pre-owned
equipment.

Artisan Technology Group

(217) 352-9330 | sales@artisanng.com | artisanng.com

- Critical and expedited services
- In stock / Ready-to-ship

- We buy your excess, underutilized, and idle equipment
- Full-service, independent repair center

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.



CV-200M
Digital 2-million-pixel Black-and-white Camera
CE

SPECIFICATIONS


Model		CV-200M
Type		Camera ^{*1}
Image pickup element		1/1.8-inch monochrome CCD image receiving element, square-pixel/all-pixel reading, 2,010,000 pixels Unit cell size: 4.4 x 4.4 μm 0.17 x 0.17 Mil
Number of valid pixels		1,920,000 pixels 1600 (H) x 1200 (V) ^{*2}
Scanning system		Progressive (58.5 ms: 2,000,000-pixel mode, 47.6 ms: 1,000,000-pixel mode) Interlace (32.7 ms: 2,000,000-pixel mode, 27 ms: 1,000,000-pixel mode)
Pixel transfer frequency		40 MHz
Transfer system		Digital serial transfer
Electronic shutter		1/15, 1/30, 1/60, 1/120, 1/240, 1/500, 1/1000, 1/2000, 1/5000, 1/10000, 1/20000, 0.05 msec to 9000 msec can be set with numeric values.
Lens mount method		C mount
Environmental resistance	Ambient temperature	0 to +40 °C 32 to 104 °F
	Relative humidity	35 to 85 % RH (No condensation)
Weight		Approx. 110 g (not including lens)
^{*1} The CA-CN17 camera cable (17 m 55.8') and the CA-CN17R high-flex camera cable (17 m 55.8') cannot be used.		
^{*2} In 1,000,000-pixel mode, 980,000 pixels (1024 x 960) serve as the processing area.		

Dimensions


* Download CAD file or product manual for larger image/text and more detail.

Camera (CV-200C/200M)

When plastic mount is attached (default state when shipped from factory)



When plastic mount is not attached



Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at artisanng.com for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisanng.com | artisanng.com

