



中国国家强制性产品认证证书

证书编号: 2017010907949238

发证日期: 2022 年 01 月 27 日

有效期至: 2027 年 01 月 27 日

认证委托人名称 明纬 (广州) 电子有限公司
及注册地址 广州市花都区金谷南路 11 号

产品生产者名称 明纬企业股份有限公司
及注册地址 台湾新北市五股区五权三路 28 号

生产企业名称 明纬 (广州) 电子有限公司
及生产地址 广州市花都区金谷南路 11 号

产品名称和系列、规格、型号 开关电源
如附件 (仅适用于海拔 5000 米及以下)

产品标准和技术要求 GB 17625.1-2012;GB 4943.1-2011;GB/T 9254-2008

上述产品符合 CNCA-C09-01:2014 认证规则的要求, 特发此证。
证书有效期内本证书的有效性依据发证机构的定期监督获得保持。
本证书为变更证书, 证书首次颁发日期: 2017 年 04 月 05 日
经中国合格评定国家认可委员会认可 CNAS C001-P

可通过扫描下方二维码或登录国家认监委网站 (www.cnca.gov.cn) 查验证书信息



签发:

谢肇煦



中国质量认证中心





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2017010907949238

Valid from: Jan.27,2022

Valid until: Jan.27,2027

**NAME AND REGISTERED
ADDRESS OF THE APPLICANT**

MEAN WELL (GUANGZHOU) ELECTRONICS CO.,LTD
No.11 Jingu South Road, Huadu District, Guangzhou, China.

**NAME AND REGISTERED
ADDRESS OF THE
MANUFACTURER**

MEAN WELL ENTERPRISES CO. , LTD
No.28,Wuquan 3rd Road, Wugu Dist, New Taipei City , Taiwan

**NAME AND LOCATION
OF THE FACTORY**

MEAN WELL (Guangzhou) Electronics Co., Ltd.
No.11 Jingu South Road, Huadu District, Guangzhou, China

PRODUCT MODEL(S)

AC-DC POWER SUPPLY
See attachment (Altitude up to 5000m)

**STANDARDS AND
TECHNICAL REQUIREMENTS**

GB 17625.1-2012;GB 4943.1-2011;GB/T 9254-2008

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C09-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Apr.05,2017

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE





中国国家强制性产品认证证书

证书编号: 2017010907949238

第 1 页 共 1 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号: 2997040

型号规格: LRS-75-X(X=5, 12, 15, 24, 36, 48 代表输出电压) 输入: 100-240VAC, 50/60Hz, 1.52A。输出规格见下表:

| 序号 | 型号 | 输出电压 | 输出电流 | 输出功率 |
|----|-----------|-------|------|-----------|
| 1. | LRS-75-5 | 5Vdc | 14A | 70W Max |
| 2. | LRS-75-12 | 12Vdc | 6A | 72W Max |
| 3. | LRS-75-15 | 15Vdc | 5A | 75W Max |
| 4. | LRS-75-24 | 24Vdc | 3.2A | 76.8W Max |
| 5. | LRS-75-36 | 36Vdc | 2.1A | 75.6W Max |
| 6. | LRS-75-48 | 48Vdc | 1.6A | 76.8W Max |



中国质量认证中心

