

## 1. Identification

<b>Product identifier</b>	<b>KE-45-W</b>
<b>Other means of identification</b>	
<b>Sales Code</b>	0982S0
<b>Recommended use</b>	RTV rubbers RTV rubber for electrical, electronic and general industry (gluing and sealing)
<b>Recommended restrictions</b>	Industrial use only.
<b>Manufacturer/Importer/Supplier/Distributor information</b>	
<b>Name</b>	Shin-Etsu Silicones of America, Inc.
<b>Address</b>	1150 Damar Drive, Akron, OH 44305 USA
<b>Contact</b>	Regulation compliance group
<b>Telephone Number</b>	+1-330-630-9860
<b>Fax Number</b>	+1-330-630-9855
<b>Emergency Phone Number</b>	Chemtrec: +1-800-424-9300 (Within US) Chemtrec: +1-703-527-3887 (Outside US)

## 2. Hazard(s) identification

<b>Physical hazards</b>	Not classified.	
<b>Health hazards</b>	Serious eye damage/eye irritation	Category 1
	Sensitization, skin	Category 1B
	Specific target organ toxicity, repeated exposure	Category 2 (hematopoietic system)
<b>Environmental hazards</b>	Not classified.	
<b>OSHA defined hazards</b>	Not classified.	

\*Hazards not stated here are "Not classified", "Not applicable" or "Classification not possible".

**Label elements**



<b>Signal word</b>	Danger
<b>Hazard statement</b>	Causes serious eye damage. May cause an allergic skin reaction. May cause damage to organs (hematopoietic system) through prolonged or repeated exposure.
<b>Precautionary statement</b>	
<b>Prevention</b>	Do not breathe dust/fume/gas/mist/vapors/spray. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing must not be allowed out of the workplace.
<b>Response</b>	IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Get medical advice/attention if you feel unwell. Take off contaminated clothing and wash it before reuse.
<b>Storage</b>	Not available.
<b>Disposal</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Hazard(s) not otherwise classified (HNOC)</b>	None known.
<b>Supplemental information</b>	None.
<b>Substance(s) formed under the condition of use</b>	This product reacts with water, moisture or humid air to evolve following compounds: Methylethylketoxime The following material is embedded in the product and not available as respirable dusts. When used as intended or as supplied, the product will not pose hazards. Titanium oxide.

### 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
Methyloximesilane*		Proprietary*	3 - < 5
Vinyloximesilane*		Proprietary*	1 - < 3
Titanium oxide		13463-67-7	1 - < 3
Alkoxysilane*		Proprietary*	< 1
Methylethylketoxime(Impurity)		96-29-7	< 1

#### Decomposition

Chemical name	CAS number	%
Methylethylketoxime	96-29-7	

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

### 4. First-aid measures

<b>Inhalation</b>	Move to fresh air. Call a physician if symptoms develop or persist.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water. For minor skin contact, avoid spreading material on unaffected skin. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
<b>Eye contact</b>	Rinse immediately with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
<b>Ingestion</b>	Rinse mouth. Get medical attention immediately.
<b>Most important symptoms/effects, acute and delayed</b>	Coughing. Dermatitis. Rash. Upper respiratory tract irritation. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause an allergic skin reaction.
<b>Indication of immediate medical attention and special treatment needed</b>	Treat symptomatically.
<b>General information</b>	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

### 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).
<b>Unsuitable extinguishing media</b>	None known.
<b>Specific hazards arising from the chemical</b>	By heating and fire, harmful vapors/gases may be formed. Nitrogen oxides. (corrosive)
<b>Special protective equipment and precautions for firefighters</b>	Firefighters must use standard protective equipment including flame retardant coat, helmet, gloves, rubber boots, and self-contained breathing apparatus.
<b>Fire-fighting equipment/instructions</b>	Move containers from fire area if you can do so without risk.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.

### 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Do not touch or walk through spilled material. Ensure adequate ventilation. Wear appropriate personal protective equipment.
--	--

**Methods and materials for containment and cleaning up**

Eliminate sources of ignition.

Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

**Environmental precautions**

Prevent further leakage or spillage if safe to do so.

**7. Handling and storage****Precautions for safe handling**

Provide adequate ventilation. Use care in handling/storage. Wash hands thoroughly after handling. Do not breathe the mist or vapor. Do not get this material in contact with eyes. Avoid contact with skin. Avoid prolonged exposure.

**Conditions for safe storage, including any incompatibilities**

Keep container tightly closed. Keep out of the reach of children. Store in a cool, dry place out of direct sunlight. Keep in original container.

**8. Exposure controls/personal protection****Occupational exposure limits****US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

Components	Type	Value	Form
Titanium oxide (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.

**US. ACGIH Threshold Limit Values**

Components	Type	Value
Titanium oxide (CAS 13463-67-7)	TWA	10 mg/m3

**US. Workplace Environmental Exposure Level (WEEL) Guides**

Decomposition	Type	Value
Methylethylketoxime (CAS 96-29-7)	TWA	36 mg/m3
		10 ppm

**Vendor guide**

Decomposition	Type	Value
Methylethylketoxime (CAS 96-29-7)	STEL	10 ppm
	TWA	3 ppm

**Biological limit values**

No biological exposure limits noted for the ingredient(s).

**Exposure guidelines**

Occupational Exposure Limits are not relevant to the current physical form of the product.

**Appropriate engineering controls**

Provide adequate general and local exhaust ventilation. Provide eyewash station. Pay attention to ventilation such as local exhaust, mechanical and/or door open for at least 24 hours after application.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Tightly sealed safety glasses according to EN 166.

**Skin protection**

**Hand protection** Wear protective gloves.

**Other** Wear suitable protective clothing.

**Respiratory protection** If airborne concentrations are above the applicable exposure limits, use NIOSH approved respiratory protection.

**Thermal hazards**

Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations**

Do not get in eyes. Avoid contact with skin. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Handle in accordance with good industrial hygiene and safety practice.

---

## 9. Physical and chemical properties

---

### Appearance

Form	Paste
Color	White.
Odor	Oxime odor
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not applicable
Initial boiling point and boiling range	Not applicable
Flash point	167 °F (75 °C) Closed Cup (Does not sustain combustion)
Evaporation rate	< 1 (Butyl Acetate=1)
Flammability (solid, gas)	Not applicable.

### Upper/lower flammability or explosive limits

Flammability limit - lower (%)	No data
Flammability limit - upper (%)	No data
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Negligible ( 25 °C )
Vapor density	> 1 (air=1)
Relative density	1.05 ( 25 °C )
Solubility(ies)	
Solubility (water)	Not soluble
Partition coefficient (n-octanol/water)	Not applicable
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not applicable
Other information	
Molecular weight	Not applicable

---

## 10. Stability and reactivity

---

Reactivity	No hazardous reaction known under normal conditions of use, storage and transport.
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	None known.
Incompatible materials	Strong oxidizing agents. Water, moisture.
Hazardous decomposition products	This product reacts with water, moisture or humid air to evolve following compounds: Methylethylketoxime. Refer to section 8 : exposure controls/personal protection and section 11 : toxicological information. Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition product: Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Nitrogen oxides. Formaldehyde.

---

## 11. Toxicological information

---

### Information on likely routes of exposure

Ingestion	Expected to be a low ingestion hazard.
Inhalation	No adverse effects due to inhalation are expected.
Skin contact	May cause an allergic skin reaction.

<b>Eye contact</b>	Causes serious eye damage.
<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	Coughing. Dermatitis. Rash. Upper respiratory tract irritation. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain. May cause an allergic skin reaction.

**Information on toxicological effects**

**Acute toxicity**

Components	Species	Test Results
Alkoxysilane (CAS Proprietary)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	4290 mg/kg
<i>Oral</i>		
LD50	Rat	1570 - 3650 mg/kg 1780 mg/kg

Decomposition	Species	Test Results
Methylethylketoxime (CAS 96-29-7)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 1000 mg/kg (Male and female)
<i>Inhalation</i>		
LC50	Rat	> 4.83 mg/l, 4 hours (Male and female)
<i>Oral</i>		
LD50	Rat	> 900 mg/kg (Male and female) 2326 mg/kg (Male)

**Skin corrosion/irritation** SKIN-RABBIT : 5mg/24Hr SEVERE [Alkoxysilane]

**Serious eye damage/eye irritation** Causes serious eye damage. [Vinylloximesilane] [Methylethylketoxime]  
Causes serious eye irritation. [Methyloximesilane]  
EYE-RABBIT : 0.75mg/24Hr SEVERE [Alkoxysilane]

**Respiratory or skin sensitization**

**Respiratory sensitization** Not available.

**Skin sensitization** May cause an allergic skin reaction. [Methyloximesilane] [Vinylloximesilane] [Alkoxysilane] [Methylethylketoxime]

**Germ cell mutagenicity** Negative(Ames Test) [Alkoxysilane]

**Carcinogenicity** Suspected of causing cancer. [Methylethylketoxime]  
The following material is embedded in the product and not available as respirable dusts. When used as intended or as supplied, the product will not pose hazards.  
Titanium oxide.

**IARC Monographs. Overall Evaluation of Carcinogenicity**

Titanium oxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not listed.

**Reproductive toxicity** Not available.

**Specific target organ toxicity - single exposure** Not available.

**Specific target organ toxicity - repeated exposure** May cause damage to the following organs through prolonged or repeated exposure:  
Hematopoietic system. [Methyloximesilane]  
Hematopoietic system. [Vinylloximesilane]

**Aspiration hazard** Not available.

**Chronic effects** Not available.

**Further information****Additional Information**

Methyl Ethyl Ketoxime (MEKO). Material will generate MEKO on exposure to humid air gradually. Male rodents exposed to MEKO vapor at high concentration throughout their lifetime developed liver cancer. But relevance to humans is uncertain now. Please read the detail information to MEKO below

Skin Irritation ;Causes mild irritation. Can be absorbed through the skin.

Eyes Irritation ;Causes severe irritation.

Acute Oral Tox. ;LD50(rat)= >900mg/kg.

Acute Dermal Tox. ;LD50(rabbit)= >1000mg/kg.

Acute Inhalation Tox.;LC50(rat) > 4.83mg/l/4Hr

Inhalation Tox. ;Shows narcotic action at high concentration. May produce blood effects

Skin Sensitization ;Positive(guinea pig)

Neurotoxicity ;High dose can produce transient and reversible change in neurobehavioral function.

Carcinogenicity ;Liver carcinomas were observed in a lifetime inhalation study (ca.2 years) in which mice and rats were exposed.

Other Chronic Study ;Degenerative effects on the olfactory epithelium of nasal passages occurred in a concentration related manner in males and females of mice and rats at MEKO concentration of 15, 75 and 375ppm. The significant change in hematological parameters were observed at 404ppm concentration.

Workplace Environmental Exposure Level; Vendor guide ; 3ppm(TWA), 10ppm(STEL), AIHA WEEL ; 10ppm(TWA)

---

## 12. Ecological information

---

**Ecotoxicity**

Components	Species	Test Results
Alkoxysilane (CAS Proprietary)		
<b>Aquatic</b>		
Fish	LC50	Oryzias latipes > 1000 mg/l, 48 hr
Titanium oxide (CAS 13463-67-7)		
<b>Aquatic</b>		
Crustacea	EC50	Water flea (Daphnia magna) > 1000 mg/l, 48 hours
Fish	LC50	Mummichog (Fundulus heteroclitus) > 1000 mg/l, 96 hours
<b>Decomposition</b>		
<b>Species</b>		
<b>Test Results</b>		
Methylethylketoxime (CAS 96-29-7)		
<b>Aquatic</b>		
Fish	LC50	Fathead minnow (Pimephales promelas) 777 - 914 mg/l, 96 hours

**Persistence and degradability** Causes easily hydrolysis in water or atmosphere. [Alkoxysilane]

**Bioaccumulative potential** Not available.

**Mobility in soil** Not available.

**Other adverse effects** Not available.

---

## 13. Disposal considerations

---

**Disposal instructions** Follow applicable Federal, State and Local regulations.

---

## 14. Transport information

---

**DOT**

Not regulated as dangerous goods.

**IATA**

Not regulated as dangerous goods.

**IMDG**

Not regulated as dangerous goods.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** This product is not intended to be transported in bulk. Not applicable.

---

## 15. Regulatory information

---

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.  
All components are on the U.S. EPA TSCA Inventory List.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not listed.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**SARA 313 (TRI reporting)**

**US state regulations**

**US. Massachusetts RTK - Substance List**

Titanium oxide (CAS 13463-67-7)

**US. New Jersey Worker and Community Right-to-Know Act**

Titanium oxide (CAS 13463-67-7)

**US. Pennsylvania Worker and Community Right-to-Know Law**

Titanium oxide (CAS 13463-67-7)

**US. Rhode Island RTK**

Not regulated.

**US. California Proposition 65**

The following material is embedded in the product and not available as respirable dusts. When used as intended or as supplied, the product will not pose hazards.

Titanium oxide.

**US - California Proposition 65 - CRT: Listed date/Carcinogenic substance**

Titanium oxide (CAS 13463-67-7)

Listed: September 2, 2011

**International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

---

## 16. Other information, including date of preparation or last revision

---

**Issue date** 04-03-2015  
**Version #** 01  
**NFPA ratings** Health: 3  
Flammability: 1  
Instability: 0

**NFPA ratings**



**Disclaimer**

This information is offered in good faith as typical values and not as a product specification. No warranty, expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.

This product has been designed, manufactured and developed solely for general industrial use only. This product is not designed for, intended for use as, or suitable for, medical, surgical or other particular purposes. Users have the sole responsibility and obligation to determine the suitability of this product for any application, to make preliminary tests, and to confirm the safety of this product for their use. Users must never use this product for the purpose of implantation into the human body and/or injection into humans.

**Revision Information**

Product and Company Identification: Product and Company Identification  
Composition / Information on Ingredients: Additional Components  
Physical & Chemical Properties: Multiple Properties  
Toxicological Information: Toxicological Data  
Regulatory Information: Regulatory Information  
HazReg Data: Pacific Rim  
GHS: Classification